

STATE: West Bengal



DATED: 27/04/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
1. S.P.B. Technical Institute Private ITI, Dighirkone, P.O. Uchalan PS-Madhabdih, Block-Raina-II, Dist. Burdwan Pin- 713427 West Bengal DGET-6/25/2/2008-TC Part. II	Filter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/01/2012 SIR-02/03/2012 w.e.f. Aug 2012	
2. S.N.P Technical Private ITI, Arambagh, Dist. Hooghly Pin- 712601 West Bengal DGET-6/25/1/2012-TC	Surveyor	2(1+1)	2(1+1)	*Rejected	*Rejected	SCIR-11/1/2012 SIR-02/03/2012 *The enclosed documents are not attested by S/D. Also it is observed that bill for total station model set 650x has been already consider for B.N.B Private ITI, in the meeting held on 24.02.2011. Hence rejected.	
3. A.B. Technical Private ITI, Khaja Anower Berh (East), Sripally, Dist. Burdwan Pin- 713103 West Bengal DGET-6/25/2/2012-TC	Surveyor	2(1+1)	2(1+1)	*Rejected	*Rejected	SCIR-11/1/2012 SIR-05/03/2012 *The bill submitted for total station model was not available at the time of inspection. Being major equipment, fresh inspection is required. Bill submitted in original report is different from the bill submitted under clarification.. Also, the date on bill is 05.02.2007 and institute was establishment on 09.08.2011. Hence rejected	

-1-

श्री. ए. टी. सिन्हा / श्री. ए. टी. सिन्हा
 राज्य मंत्री / Asst. Director
 (वी. ई. ए. ए. डी.) एवं एवं योजना विभाग
 (DGE & T) M/o Labour & Employment
 नई दिल्ली / New Delhi



STATE: West Bengal

DATED: 24.05.2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
1. S.P.B. Technical Institute Private ITI, Dighirkone, P.O. Uchalan PS-Madhabdihi, Block-Raina-II, Dist. Burdwan Pin- 713427 West Bengal DGET-6/25/2/2008-TC Part. II	Surveyor	Addl. 3(1+1+1)	Addl. 3(1+1+1)	Addl. 3(1+1+1) Total 8(3+3+2)	SCIR-25/5/2012 SIR-26/04/2013 w.e.f. Aug 2013	
	Draughtsman Civil	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 5(2+2+1)		
	Cutting & Sewing	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 3(1+1+1)		
	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)		
2. Govt. ITI, Tollygunj, 24, Chandl Ghosh Road, Dist. Kolkata West Bengal DGET-6/25/22/95-TC	Plumber	2(1+1)	2(1+1)	2(1+1)	SCIR-23/05/2011 SIR-11/07/2011 SIR-12/12/2012 w.e.f. Aug 2013	
	Sheet Metal Worker	3(1+1+1)	3(1+1+1)	3(1+1+1)		
	Welder (G&E)	6(2+2+2)	6(2+2+2)	6(2+2+2)		
	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)		
3. A.B. Technical Private ITI, Khaja Anower Berh (East), Sripally, Dist. Burdwan Pin- 713103 West Bengal DGET-6/25/2/2012-TC	Surveyor	2(1+1)	2(1+1)	2(1+1)	SCIR-18/5/2012 SIR-11/7/2012 SIR-26/04/2013 w.e.f. Aug 2013	

एम.पी. मिश्रा
 उपा. नि. नि. नि.
 डी. नि. नि.
 २५/५/१३
 Ministry of
 Skill Development
 Government of India




STATE: West Bengal

DATED: 25/08/2015

Part-I

Name, Address & File No. of Institute	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	QCI	Approval by Sub-Committee of NCVT	
32 JRSET Private ITI, Uttar Panchpota, Chakdaha, Kalyani, Dist. Nadia Pin-741222 West Bengal DGET-6/25/1/2010-TC	Electrician	Addl. 4 Unit	Addl. 4 Unit	Addl. 4 Unit Total 9(3+3+3)	Assessment-23/6/2015 App003931 w.e.f. Aug 2015
	Fitter	Addl. 4 Unit	Addl. 4 Unit	Addl. 4 Unit Total 9(3+3+3)	
	Surveyor	De-affiliation	De-affiliation	De-affiliation	
	Plumber	De-affiliation	De-affiliation	De-affiliation	
33 Govt. Women ITI, Shiliguri, 2 nd Mile Seloka Road ITI Campus, Shiliguri, Dist. Darjeeling West Bengal DGET-6/25/8/93-TC	Repair & Maintenance of Hardwar of Comp. & Periphery Head (ITAT 01)	2(1+1)	2(1+1)	2(1+1)	Assessment-12/7/2015 App003384 w.e.f. Aug 2015
	Computer Networking (ITAI 02)	2(1+1)	2(1+1)	2(1+1)	
34 Govt. ITI, Siliguri Sevake(2nd Mile), Dist. Darjeeling Pin-734401 West Bengal DGET-6/25/1/98-TC	Architect Assistant	2(1+1)	2(1+1)	2(1+1)	Assessment-13/7/2015 NXT005388 w.e.f. Aug 2015
	Plumber	2(1+1)	2(1+1)	2(1+1)	
	Mason	2(1+1)	2(1+1)	2(1+1)	
	Surveyor	Addl. One unit	Addl. One unit	Addl. One unit Total 2(1+1)	
	Wireman	2(1+1)	2(1+1)	2(1+1)	
35 S.P.B. Technical Institute Private ITI, Dighirkone, P.O. Uchalan PS-Madhabdih, Block-Raina-II, Dist. Burdwan Pin- 713427 West Bengal DGET-6/25/2/2008-TC Part. II	Fitter	Addl. 2 Units	Addl. 2 units	Addl. 2 units Total 6(2+2+2)	Assessment-11/8/2015 App003109 w.e.f. Aug 2015


 P. S. VERMA
 सहायक निदेशक (प्रशिक्षण) / Assistant Director of Training
 कौशल विकास और उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार / Govt. of India
 नई दिल्ली / New Delhi